Help Logout Interrupt

Edit 8 Numbers | Preferences Main Menu | Search Form | Fosting Counts | Show S Numbers |

Attachment to paper # 10 704H

Search Results -

Term	Documents
CANDIDA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	13667
CANDIDAS DWPI, TDBD, EPAB, JPAB, USPT, PGPB	26
ALBICANS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	7073
ALBICAN.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	31
HYBRID.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	100407
HYBRIDS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	13234
KINASE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	20897
KINASES.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	4173
((CANDIDA ADJ ALBICANS) AND (HYBRID ADJ KINASE)).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	2

US Patents Full-Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Detabase Derwent World Patents Index Database: IBM Technical Disclosure Bulletins

candida albicans and hybrid kinase Clear Refine Search: ₹

Search History

Today's Date: 3/29/2001

DB Name	<u>Query</u>	Hit Count	Set Name
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	candida albicans and hybrid kinase	2	<u>L4</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	candida albicans and histidine kinase	8	<u>L3</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	candida albicans and phenotypic switch\$	2	1.2
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	canik l	2	1.1

@tatus Estp 1 to .las. d 1 to distinct Annual College of ### 35atur Init.aliring 116 IP Dring WarTelmetEr to 1 dervice Digit. = 4.4.4 Trying sloeficiel...www. DIALOG INFORMATION SERVICES FLEASE LOSON: ******* HHHHHHH 333333333 *** Status: Signing on Dialog ENTER PASSWORD: ### (25 45 10 10 71 111/4 15 4 1 Dialig level 11.11.117 Last log:ff: 29mar.1 13:10:31 Logon fileu01 29mar01 16:21:57 *** ANNOUNCEMENT *** NEW FILE RELEASED ***IBIOW: bld Market Recearch (File 183) tttinvertext iff Insci ***Caily and Sunday Telegraph (London) ispect file to:
***The Mirrir Group Publications (United Hingdom) (File To):
***Renters Business Insight (File "59) UPDATING RESUMED ***Bicks In Print (File 471) ***Extel News Cards from Frimark (File 811 RELOADED ***Kompass Asia/Pacific (File 591) ***Mimpais Jentral/Eastern Europe (File 593) កកក្សាកម្មាំ នេះ ស្រាស់ ស្ FILES REMOVED ***EronPase (File 565) New pricing structure for Pharmaprojects (Files 115/018) from April 1, 2001. Check Help News118 or Help News018 for further information. Non-Set immediate news with Dialog's First Release news service. First Release uplates hat s bewowere databases within 10 minutes of transmission over the wire. First Release provides full Dialig searchapility and full-text features. To search First Felevis tiles onedearm singly Epsil Fiksi i I strelage i. . Ilai 🖖 briad acestrum in news wires. --- Enter BERIN ERMEBASE for Dial ; Announcements --of new istabases, price changes, etc. KWIC is set to 80. HILLIGHT set in as '*' 1:ERIO 1866-. .1/Mar UT Policipat only . 11 The Dial of Mary 1stict a 141 Unit of a first of a 141 Economic of a 141 20.4. Estimates total vectors of the 1.400m2.

```
StyleMing - DIALS Forteship to
    File 434:3:i3march(R) Dited Ref 3:i 1374-13-3/Den
(2 190% Inst for Sci Inf
TFile 454: Elease note new price thange, without a factor, i.e.
366 Help Rates434 for details.
    File 5:Bibsis Previews(R) 1969-1 .1/Mar W4
(a) 104 BIOSIS

File 185:MEDLINE(R) 1968-1 (Cer W4

(a) format only 10 Dial : Organistic

*File 185: Further to MIM natification, Medline updation in expected to resome in March 2 1. For their MIM information resource Help Newslood File (1952-1958) Bio State (1954-1958) Bio State (1954
                       abo 21 i Riversen dibebe E.V.
TFile (1: UDs have keen adjusted to reflect the suspent months gata. UD 1.1.1UML was the last UD f in the year \mu .
               Set Items Description
?e au=grikantha thyadarajan
Ref Items Indox-term
                      61 AU-SFIHANTHA T
Ξ1
                       14 AC-OBIRATINA T.
                        i Avegairantha talabani an
Εţ
                       3 AU=SFIKANTHA V
E 5
                       1 AU=SEIKANTHAN ANTON K E
1 AU=SEIKANTHAN D
Ε6
E ~
Ξē
                       3 AU=SFIKANTHAN F
Ε9
                      31 AU=SRIKANTHAN R
                      1 AU=SRIKANTHAN R.
1 AU=SRIKANTHAN T
E10
                       L AVESTRAUTHAU V
                       Enter For LASE for core
18 81:00:00
 softish terms in the name must be if the vale type
?s el:e:J
 >> Invalid term: E
 ls el:el
                               TS AMA"SRIKANTHA T":AU="SRIKANTHA T."
              3.
...examined 50 records (50)
... orpgieres expining seconds
                             4. RC vani pie itemat
 la (20:03)
 No Elthoterno in the lange but we of the case the
                             .i A. ("381) AND THE AREAD"
... numpleted examining resurds
                                  21 RD sumique itemo
            34
 la a4 and a1
                                  21 84
4. 82
. 84 820 8.
            31
 ir samiki
                                14 780181
 , , , \tau , is the \tau - \tau -eX attribute to the \tau - \tau - \tau
                               Ki dii pe itere
 The I the I the dileter
DIALUS E-File | SiE: our Ereviews E
  o Li i Bivsis. All rto. revery.
 12 4449 - BINSIS NO.: 1997 K.S.14
 Fig. 19. Late not nyymae iz azo miateż with a żeletu boto tre potator. Naski
```

orw - representation to the expression of the following of the ACTHOR: Talefall see Action of a golden of the control of ACTHOR ATTRESS: quitegrathent of Miscolingy and Includingly decided wh University Medical Center, 331. Reserving 1102A JOURNAL: Microbitly yor Reading 145 (6) p1431-1441 June, 1989 I33N: 135 ≔.e° DOCUMENT TYPE: Artisle RECORD TYPE: Abotract LANGUAGE: English STAMMARY LAWFUAGE: English ARGIRANI: In the more and came, to see a continue continue excess the conreal reconsists that the constant of the const seem to function in carbrequiation and complicated as, respectively. Recently, the isolation of CaHKI, a potative histidine kinase dene from 3. Alpirans has been reported. In allite note the alliteness and as domains located at its 2-terminus as previously describes, it is known. here that the N-terminal dimain of Cabble contains a F-L p motif and a sequence which shows significant homology with the beven C-terminal domains of serine/threinine kinases. The Ser-Thr-himiling as almain. Dahkip brolli, in fart, hirrespini to its sensir semence. TaHKI has been mapped to chrimistoe L and gene deletion studies were undertaken t independent its for those IFLTA which is that was from any other histidized Richard mutants that far by some section altipans or in any other year or filament or fungue. This study demonstrates that DELTA-sahal mutants florewise extensively in a gene-disage-dependent manner under conditions which induce permeture formation, such as growth in medium 199 (pH 7.5). The floor latin sorrow by an interaction along the hyphal surfaces, probably because if the altered expression of one or more hyphal-cell-surface components in the DELTAcahki mutan's. These results indicate that CAHKI could be involved in regulating their expression. REGISTRO DOMERS: ** **** - : BIST 110* FINAS* IBO BILL RO: - MAGRO ROMBIO: Movemble orbital orbital orbital company Biophysics) BIOSYSTEMATIC NAMES: Ascimycetes--Fongi, Flantse; Fondi Inperis Millin Deuterimydetes--Fungi, Elantae ORGANISMS: Candida-albicans (Fungi imperfection leuteromyretes); Neurospora-crassa (Ascomycetes); Saccharomyces-cerevisiae (Ascomycetes) BIOSYSTEMATIC CLASSIFICATION (SUFER TAXA): Fungi; Microsorganisms; Nonvascular Flants: Flants THEMITALS & BIOCHEMITALS: Livetiffine dinage; Janualy protection of the protection o Pungi Imperiesti or Deuter cysetes NUNCEET CODES: - Benetics of Easteria and Viruses Biorhemical Studies-General Barteri ligy, Jeneral and Systematic PIOSYSTEMATIC CODES: 18110 Accompletes 19810 Findi Inper - Frank Ingeriesti or Deuteronysetes The District State of the State 4. STAIR for Figure 1992. ent in English All etc. Telepo. The two-copyonent hykrid kinase repolator towniblt to Canada alkomows. AUTHOR: Spikantha Thyadarajan; Izar holosi Pancolo Jacob otoco o Himley Bomis : Gill Davis R at ANTERN ANTRESS: Large, Birl. Sti., Born 44 , Marc. I was lone Corp. 18 5.14.***** INTERNAL SIMPLE FOR Each $ilde{ ilde{c}}$ ($ilde{c}$) $ilde{c}$ ($ilde{c}$) $ilde{c}$ ($ilde{c}$) $ilde{c}$ ($ilde{c}$) $ilde{c}$ ($ilde{c}$) $ilde{c}$ 1000: 100 - 40

DOUBTHEN DOUBLE ARTISTS REBURD IMBE: Apathant HANGMAGE: English ABSTRACT: Using degenerate primers of highly observed regulatwo-roughnest response regulators for ECR amplification, a two-roughnest respinse regulator was it hed from Mandida alcinate that in his 1 at with nix-1 of Neuropina brazza. This two-ropinent hybria kinase, 1 MMFHT, also chaws features at rainerial two-dop ment response resulations. in light to the comment mark my-terminal end. * fatil*it mas emarks med at unite and comparable of parally grown and on the first of agree of the algorithm of the A -great of Alevel of transcript was modulated (levels were migher in spage follows) in hyphaes. Partial deletion of k th *CaMIRI* alleles, ky woi to the histidine autokinase- and ATF-binding dimains were removes, district inhibit either high-frequency phenitypic switching or the bod-bypin transition in high sait concentrations, but in ϵ th cases the efficiency i the devel pmental process was reduced. REBISTRY NUMBERS: 9131-44-1: MINASE; 71-11-1Q: HISTIDINE; 499--47-8Q: MISTIDINE; 96-93-47-7: MISTIDINE MINESE regiskie roka: MALOR INDICATE INTO BELL THE LOCAL CONTROL OF A STATE O BIOSYSTEMATIC NAMES: Ascomycetes--Fungi, Flantae; Fungi Imperiect. II Deuter.mysetes--Fungi, Plantae ORGANISMS: Candida-alkisans (Fundi Imperfections Deuter by Metero--kod growth form, strain-SAir, strain-Wo-1, commencal, byposition stoll of Neurospora-drassa (Ascomydetes) BIOSYSTEMATIC CLASSIFICATION (SUBER TAXA): Pungl; Micro remises; Minuascular Flants; Flants CHEMIDALS & BIOCHEMIDALS: | bacterial two-component response regulators; ristidine kinamponik-1-politime; oto - : resulator *CaMIFI*--ATE-Finding a pain, of hond, cibilities art kinas--kinding amain, spage swit magnet type, white post type, rome 1 - r MOLECTIAR BEGIERDE CATABANK NOMBER: AF.LG (C--Secbank, actio some som produc METHODS & EQUIFMENT: 10k (polymerase chain readtion)--amplitions objects a MIS MELLAMEDIS TERMS: Eus-hycha transition; puen typis owit minusinhibition CONCERT CODES: 03504 Genetics and Cytomenetics-Plant 51814 Flant Physiclegy, Birchemistry and Pitchysics-Engines BIOGYGTEMATIC CODES: . Aan bunkte. For all Inchese that is a Deliver of the teach "7973 Altem a from file: DIALOG(R) File S:Si.sis Previews(R: (3) In 1 BIOSIS. All rts. reserv. 11543199 | BIOSIS NO.: 1998-0314511 Togi, a tw.-romponent histidine kinase that is involved in hyphal development in the apportunistic path jen landida albitano. AUTHOR: Alex Lisa A; Ecoch Christopher; Selitrennikotf Claude I; Sinon ANTHER ACCRESS: CONTRACTOR OF THE CONTRACTOR OF NURSELL Friedricher in the Matrices Arabity i Di Statem of America (Mo. 1984) Aug 1884-188 Statem 7277-44.4 DOMMENT OVER: Actible RENGRO TYPE: Acut nact LANTARE Enalish ABSTRATT: TW -> ignorest contribute our about recently care a contribute of cultural values by the organization including forms, where it is as a star positive We decrease to the about the contribute of the con viatorios en Sonato de Cola en Carrello

segments if 2031 indicates that it entities a number of the highestimase 103-1 from the filamential fungua Bearing in a growth of 31 in all identified in 3, also saw by . We stringency nybrisization using CaSLMI as a price Madahashi, C., Mi , I., Yanada-Okabe, T., Arisawa, M., Elwsey, H. & Yabada-Okabe, H. Mirr ki 1. 44, 415-441: We assend the function of DUST-TalVIED ky constructing a significateletic nutant. Metants lackings to depict of DUST appear normal when provides years relie; however, they explicit selections as years as a selection of the provides of the p Distriction of the property of ing and the state of the state effects when in which resis it has no conceptly, a women's to account a and DELTAR stronger metalts show defective by has for attitude load, as presidted for Nik-1, Disip may reginal live; in sine aspect of bypass mirphigenesis and may play a rule in virulence properties of the irdəhlər... RESISTRY NUMBERS: 99183-67-7: HISTIDINE KINASE DESCRIPTORS: MAJOR DMNORFTS: Endymology (Bi. mediatry and Molecula: Engayora)) - Molecular Renetics (E. mediator and Molecula: Eistopologica EISCUSIEMAI) (MAMES: Found Injects of the Company of the Company) ORGANISMS: Jandida-wipidamus Fining unjentermis in lest oblighetes ORBANISMS: FARTS ETO: Sell ETOSYSTEMATIC CLASSIFICATION (SUFER TAXA): Fungi; Microtrosidens; - Nanyascular Flants: Flants CHEMICALS : BIOCHEMICALS: Coslp--amino acid sequence, two-component histidine kinase; COCI gene--function, structure
MISCELLANEOUS TERMS: hyphal development; interspecific amino acid sequence comparison; virulence NODER: 51518 Plant Physi ligy, Bi themistry and bispayeing-Encycle Tyr 1 dy waa ty' maanda yelaat gelecti ta waa tyt delecti a elaat togwaatiye aa tyelaat 19962 - Birchemical Studies-Marleic Acids, Porthologia Pyrinialnes Bicchemical Stailer-Priteins, Emplisher and Amin. Adda. 11.064 10906 Encymes-Chemical and Ebysical 285.8 Pevelopmental Biology-Embryology-Morphogenesis, General BIOSYSTEMATI 1 DODES: 18500 - Furgi Imperiesti or Deuteromycetes 11384739 BIDSIS NO.: 199860168579 Isolation of Maximum it Mamifum, the memor for our communication of kinase homologues, from the pathogenio for our Manni; label mann.
AUTHOR: Naganashi Shigehida; Mic Toshiyuki; On. Manni; Mamiia-whake Towhike; Arisawa Mikii; Endaey Howard; Manada-whake Hideforica AUTHOR ACCRESS: (a)Dep. Myrol., Mippon Roche Res. Jens., . - Mariwara, Manakura, Kanagawa 147: Japan JOURNAL: Minrobiology (Reading) 144 (0):p415-430 Fec., 1900 1339: 134 - 570 DAN TANDEST ALCES TANKAR: Entries ARATKANT: Recent attables care revealed that for a co-Finilar to parterial tw = noginest systems to seep but to exist a models changes in .sm.larity. In Garrharimyrev terevisiae, Sinly outsing to the histiffine kinase and receiver fresh ase resulators domains and acts as a our genotr protein that regulater the rown tream Hoff MAD winds of a factor SINI of Padija alkiranowar functionally domes notice & Previous Strain in which SINI expressor hower consists haloy supplements Deleterate analysis of the closed mean that it is that the desired day of the control of the rentant de la companya de la company

grawth retariation at high lamilarity. Southern kintting with a subscale SLM1 revealed the presence of related general, the of which to purpose ρ himologous to the NIKI gene of Neurospira crassa. Thus, C. alkidana harbours both SiMi- and MIRI-type historine Ricerca. RESISTRY NUMBERS: 991-3-67-7: HISTIDINE HIMASE THE CRIETORS: MAJOR PONDERIS: Endybil by Chirchemistry and Milecular bi physics 🕫 Milebular Seneting (Birtherigtry and Milebular Bi physics) Myr. 1 mm Plosystematic NRMFG: Physi Typeriem in Destelling to the optimization, its the ORGANISMS: Danaida-alkinans (Fungi Toperiesti in Destelling toperes) EJOSVETEMATIO CLASSIFICATION (SVESS TAMA : Fond); Microscoscow; Minyasoular Elants; Blants CHEMICALS & EIOCHEMICALS: histidine kinase MOLECULAR SEQUENCE DATABANK NUMBER: AB006360--DDEJ, EMBL, amino anid sequence, nucleitide sequence, BenBank: Ab 8383--0001, EMBL, s acid sequence, nucleitide sequence, GenBank MISCELLANEOUS TERMS: molecular clining; caposensor; * fallEl* gene; CaSLN1 gene CONCERT TODES: The party of the second of the second Figure 1991, which is $\theta = 0$, the constant, 18564 Biochemical Studies-Froteins, Feptides and Asia Asias 18866 Biophysics-Molecular Emperties and Macromolecules 10806 Encymes-Chemical and English 51518 Plant Physiology, Biochemistry and Biophysics-Encymes BIOSYSTEMATIC CODES: 15500 Fungi Imperfecti or Deuteromycetes 7/9/5 (Item 1 from file: 185) DIALOG(R) FILE 188:MEDIZME(R) to) format only 2000 Dislig tog Parion. All oto. Dislig 10005630 00040344 Roles of three histidine kinase genes in hyphal development and virulence of the pathogenic fungus Pandido alkirang. Yamada-Okabe T; Mio T; Ono N; Kashima Y; Matsui M; Arisawa M; Yamada-Okabe H Department of Hygiene, School of Medicine, Yokohama City University, 3-9, Fukuura, Kanadawa, Yikohama Labe-Cou4, Japan. Journal of hapteriplony (MITTER STATES) - Dep 1999, 181 . 35 p7/43-7, ISSN 0121-919a - Journal Mide: BH3 Lammuages: ENGLIGH Dominiano type: INTRNAT ARTEMA JOURNAL ANNOUNTEMENT: Subfile: INDEX MEDICUS The pathogenic fungus Candida albicans harbirs three histidine kinade genes called CaSLN1, *CaNIKI*, and CaHFI. The discountion of any one of these three genes impaired the hyphal formation and attenuated the virulence of C. albicans in a mouse systemic candidiasis model. The effects of the disruption on hyphal formation and virulence were most devere in the cankineita hull butalty. Although the domin income to follow a constitution of telephones. The cancel of the constitution of t cabbilletta null mutants partially restored the serum-induced byphase rung ability and virulence. When incubated with radiclabelled ATF, the recombinant [dagln] and *Dallik] * proteins, which contained their own kinase and response regulator domains, were autophosphory. Ated, whereas fallely was not. These results imply that in 3. Alriand, 3.82101 and table to the unstream of CaHKI but are in distinct signal transmission pathways. Tads: Animal; Male; Support, Non-11.3. Touth Descriptors: Manaida alkidand--Endyboo sy--ES; --Pathogenicity--FY; tFrotein Kinases--Fhyrial gy--FH; Astradi praphy; Flotting, Western; Tandida alkicans--Tytology--TY; Fungal Froteins--Genetics---FE; Mire; Mutagenesis; Frotein Finases---Feotiate--FF; Astra Tranciumien; Tire Partura MAS Registry No.: Company Englishment (SIM) proteins (SEM) protein .. Pandida albi ahu ahd kinabe 1990 - Mantida Albi Manz

419549 MINAGE 134 CANDIDA ALBIMANG AND MINAGE 3.5 la at and phenitypic owitch? 134 (34 134 (34 133 (34) (37) (38) (115) 1 (3 AND SHED (125) (38) (14) DIALOS(R.File Disebsevier Blobase try 1831 - Elsevier & Henre E.V. All pro. Herenv. The twi-singment mydical trinales regulator cashed in Sabria and cashes, Stivantha T.; Trai h.; Canielo H.; Enger h.; Highley H.; J. il D.S. ACDRESS: D.R. Siil, Department of Fichiginal Sciences, University of I way liuwa Ding, IA 22141, Thires State. FMAIL: david-billabi waleda Cournal: Microbi 1 sy, 144/1 - Lilb-LTLes, lebe, Chitea Kingard NOTEM: MEDEE 1880: 189..-1971 DOTUMENT IVER: Airi 1.80 LANGUAGES: English SUMMARY LANGUAGES: English NO. OF REFERENCES: 67 Using degenerate princis of cogney conserved regards of the Fo response regulators for POR amplification, a two-pumponent response regulator was sloned from Candida albitant that is how lights to nineleup of Memorspora prayas. This two-ropponent hymnoi tellsweet, [MMIRI, 188 whome features if kinterial two-responent response remolators, including a graphics called a screen of high street and the street of the at the order of the con-end. Manifel was empresed that included the content of the content of the eni. Tamiki waa emilekun i at 1 m -end. CanTPT was empressed and a consequence of a phenotype of and in the plus and objects, province of the large very state of the large of the form of the consequence of the large of the consequence. NO-1, kut in both devel grental programme, the level of the council of modulated (levels were higher in gaque reals and in hyphaes, had take deletion of both CaNIKI alleles, by which the histidine as some e- and ATP-binding domains were removed, aid not inhibit either nightfree entry phenotypic switching or the coseny, naticoncentrations, but in both cases the efficiency of the developmental oricess was reduced. DESCRIPTORS: tCandida airimanet; Hieridane tamaeet; timen typ. et ewet eens; tablel; Two-eng nent hypria telnaset reddat r SPECIES DESCRIPTURS: *Candida albidana*; Neurospora drawsa CLASSIFICATION CODE AND DESCRIPTION: 88.7.8 - AFFLIET MITKUPINDERT AND BINIS BUND TO THE SHEET STORY & Mitrigen Transport and Metacilism INCLEDITAR SECTION CATABANGUNDER: SEMBANGAS LOOS, SUBMITTED NUMBER 15. Intens - Chinogolus na - An "Galkantha o":Ane"3alkantha D." 41 RF onlique items:
21 RF (unique items)
21 RF (unique items) AV="SRIPANTHA THYASARAJAN" 31 800 3 3.5 1.4 RD dulique ster. Mandina Albinado amp kinado . . . The articles of the Committee Committee in the committee of the committee 01.7 Estimate onat File444 02.81 .418 DialThits File

25 graduation 15.